

**Medications Catalogue**

Total entries: 25

Generated: 23 September 2026 23:58 | Total: 25

| MEDICATION NAME  | CATEGORY          | NOTES                                                       |
|------------------|-------------------|-------------------------------------------------------------|
| Warfarin         | Anticoagulant     | Monitor INR levels closely. Avoid vitamin K-rich foods.     |
| Metformin        | Antidiabetic      | Take with food to reduce GI side effects.                   |
| Amoxicillin      | Antibiotic        | Complete the full course even if symptoms improve.          |
| Heparin          | Anticoagulant     | Low molecular weight. Subcutaneous injection.               |
| Rivaroxaban      | Anticoagulant     | Direct oral anticoagulant. No INR monitoring needed.        |
| Hydroxyurea      | Chemotherapy      | Used in sickle cell disease and polycythemia vera.          |
| Imatinib         | Chemotherapy      | Tyrosine kinase inhibitor for CML.                          |
| Prednisone       | Steroid           | Short-term use preferred. Taper dose when stopping.         |
| Dexamethasone    | Steroid           | Used in haematological malignancies and allergic reactions. |
| Ciclosporin      | Immunosuppressant | Monitor renal function and drug levels.                     |
| Azathioprine     | Immunosuppressant | Check TPMT enzyme levels before starting.                   |
| Paracetamol      | Analgesic         | Max 4g per day. Hepatotoxic in overdose.                    |
| Morphine         | Analgesic         | Opioid. Monitor for respiratory depression.                 |
| Amlodipine       | Antihypertensive  | Calcium channel blocker. May cause ankle oedema.            |
| Enalapril        | Antihypertensive  | ACE inhibitor. Watch for hyperkalaemia.                     |
| Lisinopril       | Antihypertensive  | ACE inhibitor. Dry cough is a common side effect.           |
| Methotrexate     | Chemotherapy      | Folate antagonist. Supplement with folic acid.              |
| Rituximab        | Chemotherapy      | Anti-CD20 monoclonal antibody. Screen for HBV before use.   |
| Erythropoietin   | Antidiabetic      | Stimulates red blood cell production.                       |
| Ciprofloxacin    | Antibiotic        | Fluoroquinolone. Avoid in tendon injury history.            |
| Vancomycin       | Antibiotic        | Monitor trough levels and renal function.                   |
| Insulin Glargine | Antidiabetic      | Long-acting basal insulin. Inject subcutaneously.           |
| Enoxaparin       | Anticoagulant     | LMWH used for DVT prophylaxis and treatment.                |
| Deferasirox      | Chemotherapy      | Iron chelator for transfusion-dependent anaemia.            |
| Prednisolone     | Steroid           | Oral corticosteroid. Common in autoimmune conditions.       |